

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Boge 3000 HT plus**

Revision date: 20.01.2025

Product code: 599017

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Boge 3000 HT plus

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Compressor and vacuum pump oil

**1.3. Details of the supplier of the safety data sheet**

Company name:	BOGE KOMPRESSOREN	
	Otto Boge GmbH & Co. KG	
Street:	Otto-Boge-Straße 1-7	
Place:	33739 Bielefeld	
Telephone:	+49 5206 601-0	Telefax: +49 5206 601-200
E-mail:	info@boge.com	
Internet:	www.boge.com	

**1.4. Emergency telephone number:** Emergency telephone number (24h) + 44 1235 239670 (en)

**Further Information**

Reserved for industrial and professional use.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

**2.2. Label elements****Additional advice on labelling**

Dangerous ingredients: Alkaryl carboxylic acid derivative

May produce an allergic reaction.

**2.3. Other hazards**

A health hazard is not expected when handled under normal conditions. Prolonged or repeated contact with the skin without proper cleansing may clog the skin pores and cause disorders such as oil acne/folliculitis. Used oil may contain harmful contaminants.

Signs and symptoms of oil acne/folliculitis may include the development of blackheads and pimples in the exposed areas of the skin. Ingestion may cause nausea, vomiting and/or diarrhea.

Observe mixture permissions according to "Altölverordnung (Waste oil directive)".

Combustible liquid.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Boge 3000 HT plus**

Revision date: 20.01.2025

Product code: 599017

Page 2 of 11

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
	Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)			86-90 %
	Asp. Tox. 1; H304 EUH066			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene			1-3 %
	270-128-1		01-2119491299-23	
	Repr. 2, Aquatic Chronic 3; H361f H412			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
		Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	86-90 %
		inhalation: Data lacking (gases); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
68411-46-1	270-128-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	1-3 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

**Further Information**

CAS-No.: 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

Remove contaminated, saturated clothing immediately.

IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.

If skin irritation occurs: Get medical help.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

**After ingestion**

IF SWALLOWED: Call a POISON CENTER if you feel unwell.

Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

Signs and symptoms of oil acne/folliculitis may include the development of blackheads and pimples in the exposed areas of the skin. Ingestion may cause nausea, vomiting and/or diarrhea. IF INHALED: May cause drowsiness or dizziness.

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc. Ingestion causes nausea, weakness and central nervous system effects.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Boge 3000 HT plus**

Revision date: 20.01.2025

Product code: 599017

Page 3 of 11

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.  
Water fog. Extinguishing powder. Carbon dioxide. Foam.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products may include: Complex mixture of solid and liquid particles and gases, including Carbon monoxide may be released in case of incomplete combustion. Unidentified organic and inorganic compounds.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

**Additional information**

Wear a self-contained breathing apparatus and chemical protective clothing. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.  
Avoid contact with skin and eyes.

**For non-emergency personnel**

Special danger of slipping by leaking/spilling product.

**For emergency responders**

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal.  
Collect in closed containers for disposal.

**6.3. Methods and material for containment and cleaning up****For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Clean contaminated articles and floor according to the environmental legislation.  
Clean with detergents. Avoid solvent cleaners.

**Other information**

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**6.4. Reference to other sections**

See protective measures under point 7 and 8.

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Avoid oil mist  
Use only in well-ventilated areas.  
When using do not eat, drink or smoke.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Boge 3000 HT plus

Revision date: 20.01.2025

Product code: 599017

Page 4 of 11

#### Advice on general occupational hygiene

Personal protection equipment: see section 8

#### Further information on handling

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

Do not breathe mist/vapours/spray.

High slip hazard because of leaking or spilled product.

Take precautionary measures against static discharges.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 0-50 °C // 32 - 122°F

Polyethylenbehälter dürfen höheren Temperaturen aufgrund der Gefahr einer möglichen Verformung nicht ausgesetzt werden.

##### Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

#### 7.3. Specific end use(s)

Observe technical data sheet.

Reserved for industrial and professional use.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
-	Mineral Oil pure, highly & severely refined (Inhalable)	-	5		TWA (8 h)	

##### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
	Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene			
Worker DNEL, long-term		inhalation	systemic	0,31 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	0,44 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,14 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	0,04 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,04 mg/kg bw/day

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Boge 3000 HT plus

Revision date: 20.01.2025

Product code: 599017

Page 5 of 11

#### PNEC values

CAS No	Substance	
Environmental compartment		Value
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	
Freshwater		0,034 mg/l
Marine water		0,00338 mg/l
Freshwater sediment		0,446 mg/kg
Marine sediment		0,0446 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		1,76 mg/kg

#### 8.2. Exposure controls



##### Appropriate engineering controls

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations. Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

EN 166

##### Hand protection

Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

##### Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.  
Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

##### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	light brown
Odour:	characteristic

#### Test method

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Boge 3000 HT plus**

Revision date: 20.01.2025

Product code: 599017

Page 6 of 11

Boiling point or initial boiling point and boiling range:	> 280 °C estimated
Lower explosion limits:	1 vol. %
Upper explosion limits:	10 vol. %
Flash point:	248 °C ISO 2592
Auto-ignition temperature:	>320 °C
pH-Value:	not applicable
Viscosity / kinematic: (at 40 °C)	68 mm <sup>2</sup> /s ASTM D 7042
Partition coefficient n-octanol/water:	> 6
Vapour pressure:	< 0,5 hPa
Density (at 15 °C):	0,880 g/cm <sup>3</sup> EN ISO 12185
Relative vapour density:	>1

**9.2. Other information****Other safety characteristics**

Pour point: -30 °C ISO 3016

**Further Information**

No further relevant information available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No known hazardous reactions.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

Protect against: heat.

Protect from direct sunlight.

**10.5. Incompatible materials**

The following must be prevented: Oxidizing agents, strong. acid.

**10.6. Hazardous decomposition products**

Hazardous decomposition products: none

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

Data apply to the main component.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix tested**

	Dose	Species	Source
LD50, oral	> 5000 mg/kg	Rat	
LD50, dermal	> 5000 mg/kg	Rabbit	

**ATEmix calculated**

ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Boge 3000 HT plus**

Revision date: 20.01.2025

Product code: 599017

Page 7 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)				
	oral	LD50 >2000 mg/kg	RAT		
	dermal	LD50 >2000 mg/kg	RABBIT		
	inhalation	Data lacking			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene				
	oral	LD50 > 5000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 > 2000 mg/kg	Rat	ECHA	

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

**11.2. Information on other hazards****Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Further information**

After use, this oil must be sent to a used oil collecting location. Incorrect disposal of used oil endangers the environment. Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden.

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

The statement is derived from the properties of the components.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Boge 3000 HT plus

Revision date: 20.01.2025

Product code: 599017

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Danio rerio	OECD 203	
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 51 mg/l	48 h	Daphnia magna	OECD 202	
	Acute bacteria toxicity	EC50 > 100 mg/l ( )		Bacteria	OECD 209	

#### 12.2. Persistence and degradability

Product is not easily biodegradable.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene			
	OECD 301 B	1%	28	
	Not easily bio-degradable (according to OECD-criteria).			

#### 12.3. Bioaccumulative potential

log Pow: > 6

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	> 5

#### 12.4. Mobility in soil

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
Adsorption to solid soil phase is expected.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

The substance has no ozone depleting potential.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Consult the local waste disposal expert about waste disposal. Do not allow to enter into surface water or drains. Dispose of contents/container to an appropriate recycling or disposal facility. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Non-contaminated packages may be recycled.

##### List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

##### List of Wastes Code - used product



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Boge 3000 HT plus

Revision date: 20.01.2025

Product code: 599017

Page 9 of 11

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.  
**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.  
**14.3. Transport hazard class(es):** No dangerous good in sense of these transport regulations.  
**14.4. Packing group:** No dangerous good in sense of these transport regulations.

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.  
**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.  
**14.3. Transport hazard class(es):** No dangerous good in sense of these transport regulations.  
**14.4. Packing group:** No dangerous good in sense of these transport regulations.

#### Other applicable information (inland waterways transport)

CDNI Abfallübereinkommen: NST 3411 Mineralschmieröle

#### Marine transport (IMDG)

**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.  
**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.  
**14.3. Transport hazard class(es):** No dangerous good in sense of these transport regulations.

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.  
**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.  
**14.3. Transport hazard class(es):** No dangerous good in sense of these transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No  
 Danger releasing substance: No dangerous good in sense of these transport regulations.

#### 14.6. Special precautions for user

Wear personal protection equipment (refer to section 8). SECTION 8: Exposure controls/personal protection

#### 14.7. Maritime transport in bulk according to IMO instruments

No information available.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Directive 2010/75/EU on industrial emissions: 0,0

Directive 2004/42/EC on VOC in paints and varnishes: 0,0

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Boge 3000 HT plus**

Revision date: 20.01.2025

Product code: 599017

Page 10 of 11

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

**Abbreviations and acronyms**

Asp. Tox: Aspiration hazard

Repr: Reproductive toxicity

Aquatic Chronic: Chronic aquatic hazard

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road )

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

**Relevant H and EUH statements (number and full text)**

H304 May be fatal if swallowed and enters airways.

H361f Suspected of damaging fertility.

H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

Abkürzungen und Akronyme siehe Verzeichnis unter <http://abk.esdscom.eu>

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### **Boge 3000 HT plus**

Revision date: 20.01.2025

Product code: 599017

Page 11 of 11

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*